

greenworks[®]

COMMERCIAL

PRODUCT CATALOGUE

EDITION #6



82
VOLT
LITHIUM **MAX**

DISTRIBUTED THROUGHOUT
NEW ZEALAND BY



camaproducts.co.nz

1.2kW String Trimmer

Model No: 82ST12

2 x 4.0Ah Kit Part No: 2112107

Motor Brushless
Cutting Width 16" (40.6cm)
Max Power 1.2kW
Rated Power 1.1kW
Speed Control Hi/Lo Variable
Weight 6.04kg

Line Feeding System Bump Head
Line Capacity 10m
Dual Line Yes
Line Diameter .095" (2.5mm)
Vibration <5m/s²
Runtime Up to 4km

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



1.5kW Brushcutter

Model No: 82TB20

Motor Brushless
Cutting Width 18" (45.7cm)
Max Power 2.0kW
Rated Power 1.5kW
Speed Control Hi/Lo Variable
Weight 7.29kg

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Line Feeding System Bump Head
Line Capacity 7.9m
Dual Line Yes
Line Diameter .095" (2.4mm)
Vibration <5m/s²
Runtime Up to 4km

1.3kW Steel Shaft String Trimmer

Model No: ST131

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Equivalent Power 25cc
Max Power 1.3kW
Motor Position Top Mount
Speed Control Variable Speed Trigger
Line Diameter .095" (2.4mm)
Cutting Speed 4,000 / 4,500 / 5,500 RPM
Cutting Width 17"
Weight (no battery) 4.7kg
Weight (w/ CORE300) 5.5kg

1.6kW Attachment Capable Multi Tool

Model No: OAS161

Power Head
Max Power 1.6kW
Attachment Size 25mm
Speed Control 3 Speed Variable Speed Trigger
Couplers 1 x 25mm, 1 x 25.4mm

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers

String Trimmer Attachment (included)
Line Diameter .095" (2.4mm)
Cutting Speed 4,000 / 4,500 / 5,500 RPM
Cutting Width 17"
Weight (no battery) 4.3kg *
Weight (w/ CORE300) 7.0kg *

*attached to Power Head



OAS-ST String Trimmer Attachment - included

1.6kW Steel Shaft String Trimmer

Model No: ST161

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Equivalent Power 36cc
Max Power 1.6kW
Motor Position Top Mount
Speed Control 3 Speed Variable Speed Trigger
Line Diameter .095" (2.4mm)
Cutting Speed 4,000 / 4,500 / 5,500 RPM
Cutting Width 17"
Weight (no battery) 5.3kg
Weight (w/ CORE300) 7.0kg

Available Attachments



2.0kW Brushcutter

Model No: TB201

Equivalent Power 45cc

Max Power 2.0kW

Motor Position Top Mount

Speed Control 3 Speed Variable Speed Trigger

Line Diameter .095" (2.4mm)

Cutting Speed (line) 5,500 RPM

Cutting Speed (blade) 8,000 RPM

Cutting Width 18"

Weight (no battery) 5.6kg

Weight (w/ CORE400) 7.8kg



Comes with Two Attachment Blades

2 YEAR WARRANTY
Skins, Batteries & Chargers

1.2kW Blower

Model No: 82BH20D

2 YEAR WARRANTY
Skins, Batteries & Chargers



Motor Brushless

Max Power 1.2kW

Max Speed 298km/h

Blow Force 18.8N

RPM 26,500

Variable Trigger Yes

Cruise Control Yes

Weight (no battery) 2.1kg

Harness & Cord

Suits 82BH20D Blower
Skin Only Part No: 2983502



1.5kW Edger

Model No: 82EC12

Voltage 82

Motor Brushless

Cutting Depth 2.2" (56mm)

Depth Adjustment Yes

Max. Power 1.5kW

Blade Length 8" (203mm)



Vibration 2.3m/s²

RPM 7,000

Speed Control Single Speed

Weight 7.4kg

Runtime Up to 4.8kms

2 YEAR WARRANTY
Skins, Batteries & Chargers

2.2kW Backpack Blower

Model No: 82B26



2 YEAR WARRANTY
Skins, Batteries & Chargers

Motor Brushless

Max Power 2.2kW

Max Speed 339km/h

Blow Force 26N

RPM 26,000

Variable Trigger Yes

Turbo Mode Yes

Fan Cooling System Yes

Weight (no battery) 6.7kg

1.5kW Blower

Model No: 82BH22

2 YEAR WARRANTY
Skins, Batteries & Chargers



Motor Brushless

Turbo Mode Yes

RPM 28,000

Variable Trigger Yes

Max Power 1.5kW

Fan Cooling System Yes

Max Speed 225km/h

Easy Start Up Yes

Blow Force 22N

Cruise Control Yes

Vibration 2.3m/s²

Weight 4.54kg

3.0kW Backpack Blower

Model No: BB361

2 YEAR WARRANTY
Skins, Batteries & Chargers

Max Power 3.0kW

Max Air Speed 362km/h

Air Volume 1,295m³/h

Blow Force 36N

Adjustable Handle Yes
forward & pivoting

Display ECD Screen

Speed Control 3 Speed
Variable Speed Trigger

Turbo Mode Yes

Cruise Control Yes

Noise Level 65dB @ 15m (on low)

Weight (no batteries) 6.7kg

Weight (w/ 2 x CORE530) 12.1kg



ETO Blower Attachment

Model No: ETOBL51

Fits OptimusZ Range.

2YEAR
WARRANTY
Skins, Batteries
& Chargers

Max Power 1.2kW
Max Speed 381km/h
Blow Force 51N
Max Airflow 1782m³/hr
Speed Settings 3
IPX Rating 5
Remote Control Yes
Rotation 180°



24" Short Pole Hedge Trimmer

Model No: 82PH30F

2YEAR
WARRANTY
Skins, Batteries
& Chargers



Motor Brushless
Blade Length 24" (609mm)
Shaft Length 30" (762mm)
Trigger Single Speed
Strokes p/minute 4,300
Cut Capacity 1.2" (30mm)
Anti Jam Yes
Articulation Angle 135°
Vibration 5.7m/s²
Noise Level 66.3dB @ 15m
Weight (no battery) 4.2kg
Weight (w/CORE300) 5.9kg

24" Hedge Trimmer

Model No: HT241

2YEAR
WARRANTY
Skins, Batteries
& Chargers



Motor Brushless
Cutting Depth 1.2" (30.4mm)
Blade Length 24" (610mm)
Rotating Handle Yes
Cutting Speed 5,000rpm
Speed Limiter Yes
Anti Jam Function Yes
Weight (no battery) 3.6kg
Weight (w/CORE300) 5.3kg

20" Mid Pole Articulating Hedge Trimmer

Model No: PH482A

2YEAR
WARRANTY
Skins, Batteries
& Chargers



Motor Brushless
Blade Length 20" (508mm)
Trigger Single Speed
Strokes p/minute 4,500
Cut Capacity 1.2" (30mm)
Anti Jam Yes
Articulation Angle 135°
Vibration 5.7m/s²
Noise Level 66.3dB @ 15m
Weight (no battery) 4.2kg
Weight (w/CORE300) 5.9kg

26" Hedge Trimmer

Model No: 82H26D

Backpack Harness and Cord included.

2YEAR
WARRANTY
Skins, Batteries
& Chargers



Motor Brushless
Cutting Depth 1.2" (30.4mm)
Blade Length 26" (660mm)
Rotating Handle Yes
Gear Ratio 2.7
Cutting Speed 2,000rpm
Speed Limiter Yes
Anti Jam Function Yes
Weight (no battery) 3.6kg
Weight (w/CORE300) 5.3kg

24" Telescopic Pole Hedge Trimmer

Model No: 82PH62T

Motor Brushless
Blade Length 24" (609mm)
Shaft Length 40" (102cm)
Total Length 2.2m
Trigger Single Speed
Strokes p/minute 4,300
Cut Capacity 1.2" (30.4mm)
Anti Jam Yes
Articulation Angle 135°
Vibration 5.8m/s²
Noise Level 66.3dB @ 15m
Weight (no battery) 5kg
Weight (w/CORE300) 6.7kg

2YEAR
WARRANTY
Skins, Batteries
& Chargers



Telescopic Pole Saw

Model No: 82PST39



2 YEAR WARRANTY
Skins, Batteries & Chargers

Motor	Brushless
Power	700W
Bar Length	10" (25cm)
Auto Oiler	Yes
Chain Pitch	1/4"
Chain Gauge	.050"
Chain Speed	18m/s
Pole Type	Telescopic
Vibration	<2.5m/s ²
Weight (no battery)	5.4kg
Weight (w/CORE300)	7.1kg

18" 2.7kW Chainsaw

Model No: 82CS27



2 YEAR WARRANTY
Skins, Batteries & Chargers

Equivalent Power	45cc	Sprocket Type	Rim 7	Trigger	Variable
Motor	Brushless	Chain Speed	25m/s	Oiler	Automatic
Bar Length	18" (457mm)	RPM	11,000	Oil Capacity	220ml
Chain Type	Semi chisel	Chain Break	Inertia-activated	Vibration	4.8m/s ²
Chain Pitch	.325"	Chain Tension	Side Manual	Weight (no battery)	4.7kg
Chain Gauge	.050"	Max Power	2.7kW	Noise Level	73.2dB @ 15m
Drive Links	72	Rated Power	2.4kW	Runtime (4.0Ah)	Up to 210 cuts

10" 1.5kW Top Handle Chainsaw

Model No: OTS350



2 YEAR WARRANTY
Skins, Batteries & Chargers

Equivalent Power	35cc	Chain Speed	24m/s
Max Power	1.5kW	Torque	1Nm
Motor	Brushless	Oil Capacity	150ml
Bar Length	10"	Trigger	Variable
Chain Pitch	1/4"	Weight (no battery)	2.1kg
Chain Gauge	.050"		



20" 3.4kW Chainsaw

Model No: 82CS34



2 YEAR WARRANTY
Skins, Batteries & Chargers

Equivalent Power	55cc	Chain Speed	25m/s	Oiler	Automatic (adjustable)
Motor	Brushless	RPM	11,000	Oil Capacity	250ml
Bar Length	20" (508mm)	Chain Break	Inertia-activated	Weight (no battery)	5.75kg
Chain Pitch	.325"	Chain Tension	Side Manual	Vibration	5m/s ²
Chain Gauge	.050"	Max Power	3.4kW	Noise Level	72.9dB @ 15m
Drive Links	78	Rated Power	2.9kW	Runtime (4.0Ah)	Up to 205 cuts
Sprocket Type	Rim 7				

10" 1.5kW Top Handle Chainsaw

Model No: 82TCS15

Backpack Harness and Cord included.



2 YEAR WARRANTY
Skins, Batteries & Chargers

Equivalent Power	35cc	Torque	1Nm
Max Power	1.5kW	Tank Cap	Flip Up
Motor	Brushless	Oil Capacity	150ml
Bar Length	10" (25cm)	On/Off Switch	Yes
Chain Pitch	1/4"	Trigger	Variable
Chain Gauge	.050"	Weight (no battery)	2.1kg
Chain Speed	24m/s	Runtime (4.0Ah)	< 35 minutes
Chain Tension	With Tool		



24" 5.0kW Chainsaw

Model No: OCS800

H.O.G. SAW
High - Output - Gasless



2 YEAR WARRANTY
Skins, Batteries & Chargers

Equivalent Power	80cc	Chain Speed	30m/s	Oiler	Automatic (adjustable)
Motor	Brushless	Chain Break	Inertia-activated	Oil Capacity	380ml
Bar Length	24" (609mm)	Chain Tension	Side Manual	Weight (no battery)	6.7kg
Chain Pitch	3/8"	Max Power	3.4kW	Weight (w/ CORE530)	9.4kg
Chain Gauge	.050"	Rated Power	2.9kW		

21" Lawnmower

Model No: 82LM21S

Equivalent Power 160cc

Motor Brushless

Max Power 2.8kW

Rated Power 2.44kW

Cutting Width 21" (533mm)

Cutting Speed Up to 5.6km/h

Cutting Height 35mm - 100mm

Noise Level 79dB @ 15m

Automatic Shut Off Yes

Mulch Yes

Side Discharge Yes

Catcher Yes

Cutting positions 7

Runtime (2 x 8.0Ah) Up to 1.5 acres

Weight (no battery) 33.12kg

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



30" Lawnmower

Model No: 82LM30S

Equivalent Power 230cc

Cutting Motor Brushless

Max Power 4kW

Rated Power 3kW

Cutting Width 30" (762mm)

Cutting Height 38mm - 127mm

Blade Speed 3,600 - 4,000rpm

Cutting Speed Up to 6.1km/h

Mulch Yes

Catcher 85L

Automatic Shut Off Yes

Noise Level 79dB @ 15m

Cutting positions 8

Runtime (3 x 8.0Ah) Up to 2 acres

Weight (no battery) 82kg

Drive Motor Independent HUB

Max Power 0.8kW

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



22" Lawnmower

Model No: ATM22

Equivalent Power 230cc

Cutting Motor Brushless

Max Power 4.5kW

Rated Power 2.2kW

Cutting Width 22" (560mm)

Cutting Height 20 - 100mm

Blade Speed 2,800 - 3,000rpm

Cutting Speed Up to 6.5km/h

Mulch Yes

Catcher 70L

Automatic Shut Off Yes

Runtime (2 x 8.0Ah) Up to 1.5 acres

Noise Level 79dB @ 15m

Cutting positions 8

Weight (no battery) 53kg

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



30" All Terrain Lawnmower

Model No: ATM30C

Equivalent Power 250cc

Max Power 6.5kW

Rated Power 4.5kW

Cutting Width 30" (762mm)

Cutting Height 38mm - 100mm

Blade Speed 3,600 - 4,000rpm

Cutting Speed Up to 6.5km/h

Mulch Yes

Catcher 88L

Wheels Front Lockable Casters

Noise Level 62dB (low)

Cutting positions 8

Runtime Up to 2 acres

Weight (no battery) 81kg

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



25" Lawnmower

Model No: 82LM25S

Equivalent Power 160cc

Motor Brushless

Max Power 1.6kW

Cutting Width 25"

Cutting Speed Up to 5.6km/h

Blade Speed 4,000 - 4,500rpm

Cutting Height 35mm - 100mm

Noise Level 79dB @ 15m

Automatic Shut Off Yes

Mulch Yes

Catcher Yes

Cutting positions 7

Runtime (2 x 8.0Ah) Up to 1.5 acres

Weight (no battery) 37.88kg

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



12" Power Cutter

Model No: 82PC300

Motor Brushless

Blade Diameter 12" (305mm)

Cut Depth 4.3" (109mm)

Max Power 3.2kW

Rated Power 2.5kW

RPM 5,248

Blade Speed 85m/s

Max Torque 5.2Nm

Adjustable Water Control Yes

On Board Water Connection Yes

Vibration 4m/s^2

Noise Level 93dB @ ear

Weight (no battery) 5.7kg

Runtime (4.0Ah) Up to 140 cuts

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



14" Power Cutter

Model No: PC141



Motor Brushless
Blade Diameter 14" (355mm)
Cut Depth 5" (127mm)
Power 4.3kW
RPM 5,000
Blade Speed 85m/s
Max Torque 12Nm
Adjustable Water Control Yes
On Board Water Connection Yes
Weight (no battery) 7kg

Commercial Work Light

Model No: 82WL1

- Produces 2500 lumen of light
- Hanging hook included
- 360° rotating head for full light in any space
- Perfect for using at job sites
- Can be powered by battery or cord.



Horizontal Powerhead

Model No: 82HP36



Motor Brushless
Max Power 3.6kW (5hp)
3 Speeds 2800, 3200, 3600RPM
Output Shaft 3/4"
Rating IP54
Noise Level 79dB @ 15m
Weight (no battery) 37.88kg

52" Sprayer / Spreader

Model No: SP952



Battery 8kW
Drive Speed 16km/h
Max Runtime 13 Hours
Charge Time 3 Hours
Wheel Motors Dual 5kW

Drive Tyre Size 24 x 12 - 12
Spray Width up to 3m
Tank Capacity 227L
Tank Coverage up to 5.5 acres
Pump Type Diaphragm 5.3gpm
Hopper Capacity 100kg
Noise Level 52dB @ 15m
Weight 528kg



Earth Auger

Model No: 82EA8



Motor Brushless
Max Power 1.4kW
Shaft Diameter 7/8"
Forward Speed 210RPM
Reverse Speed 50RPM
Torque 59ft/lb
On/Off Switch Yes
LED Lights Yes

Bit Diameter 8" (203mm)
Hole Diameter 4" - 12" (100-305mm)
Weight 12.25kg
Noise Level 85dB @ ear
Vibration <4m/s²
Runtime (4.0Ah) Up to 35 holes 4"-12"



16.2kWh EnergyCube

Model No: CUBE16

Battery Capacity 16.2kWh
Charge Input - EV 240V AC - 5000W (J1772)
Solar Input 13V-60V - 30A max/1500W max
Total Max Output 16kW
Output 1 82V (OptimusZ) 6000W max
Output 2 82V (OptimusZ) 6000W max
Output 3 82V (caddy) 2000W max
Output 4 82V (caddy) 2000W max
Output 5 240V - 16.7A max
Charge Time (EV) 3 Hours
Charge Time (240V AC) 3 Hours
IP Rating Function Box - IP44, battery - IP67
SmartG / 4G / GPS integrated with App control
Dimensions (H x W x D) 1,138 x 678 x 856mm
Weight 325kg



8A Dual Port Charger

Model No: CAB810

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Input Voltage 240V
Output Power 650W
Output Current 10A
Active Cooling Yes
Weight 2.14kg

16A Rapid Dual Port Charger

Model No: CHD1300

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Input Voltage 240V
Output Power 1300W
Output Current 16A
Weight 17.5kg

ETO Charger Attachment

Model No: CE82HBC1

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Capacity Six Batteries
Input 2.0kW
Lockable Yes
Compatible with Chargelink™
Weather Rating IPX5
Dimensions 609 x 506 x 394 mm

Six Port Charger

Model No: 82C6

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Input Voltage 240V
Input Current 15A
Output Power 1,500W
Output Current 18A (3A per slots)
Active Cooling Yes
Weight 17.5kg

2.5Ah Battery

Model No: 82BD250

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Battery Capacity 180Wh
Rated Power 2.5kW
Max Power 3.2kW
Power to Weight 106Wh/kg
Dimensions 117 x 84 x 170 mm
Weight 1.68kg

4.0Ah Battery

Model No: 82BD400

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Battery Capacity 288Wh
Rated Power 2.5kW
Max Power 4.3kW
Power to Weight 144Wh/kg
Dimensions 117 x 84 x 170 mm
Weight 2.0kg

8.0Ah Battery

Model No: 82BD800

**2 YEAR
WARRANTY**
Skins, Batteries
& Chargers



Battery Capacity 576Wh
Rated Power 5.4kW
Max Power 7.2kW
Power to Weight 147Wh/kg
Dimensions 117 x 84 x 241 mm
Weight 3.9kg

4.0Ah CORE300 Battery

Model No: CORE300



Battery Capacity 295Wh
Rated Power 3.5kW
Max Power 5.0kW
Power to Weight 171Wh/kg
Dimensions 117 x 84 x 170 mm
Weight 2.04kg



5.5Ah CORE400 Battery

Model No: CORE400



Battery Capacity 406Wh
Rated Power 4.5kW
Max Power 6.0kW
Power to Weight 193Wh/kg
Dimensions 117 x 84 x 170 mm
Weight 2.2kg



7.2Ah CORE530 Battery

Model No: CORE530



Battery Capacity 532Wh
Rated Power 6.0kW
Max Power 7.2kW
Power to Weight 197Wh/kg
Dimensions 117 x 84 x 201 mm
Weight 2.7kg



16.0Ah Battery

Model No: BD161



Battery Capacity 1180Wh
Rated Power 6.5kW
Power to Weight 157Wh/kg
Weight 7.5kg



Compatible with ATM 22" Lawnmower

ETO Bagger 3 Bin Attachment

Model No: OB153B



Connection Point Front or Rear ETO
Bin Dump Three Removable Bags
Size 425L
Compatible with OptimusZ

8kWh OptimusZ Stand-on

Model No: OS932 32" with Side Discharge

Model No: OS932R 32" with Rear Discharge

Model No: OS936 36"



Equivalent Power 22HP
Battery 8kWh
Drive Speed 16km/h
Coverage Up to 7 acres
Max Runtime Up to 5 hours
Charge Time 3 hours
Drive System PowrTraq 2.2kW Motors
32" Tyre Size F/R 11 x 4 - 5 / 20 x 6.5 - 10
36" Tyre Size F/R 11 x 4 - 5 / 20 x 8 - 10
Deck Motor OptimusCut 1.5kW
Deck Lift Single Lever Height Adjustment

Deck Positions 17
Deck 9 Gauge Fabricated
Number for Blades 2
Cut Height Range 25mm - 127mm
Max Slope 15°
Smart G Connect Yes
ETO Port Front
Length (platform up) 165cm
Width (inc chute) 119 / 128 cm
Height 127 / 130 cm
Weight 416kg / 419.5kg

24kWh OptimusZ Stand-on Zero Turn with Side Discharge

Model No: OS948 48" Model No: OS952 52"
Model No: OS960 60"



5 YEAR
2000 HOUR
WARRANTY
Product Skins
& Batteries

Equivalent Power 65HP

Battery 24kWh

Drive Speed 19km/h

Coverage Up to 20 acres

Max Runtime Up to 8 hours

Charge Time 8 hours

Drive System PowrTrac 5.0kW Motors

48"/52" Tyre Size F/R 11 x 4 - 5 / 20 x 6.5 - 10

Deck Motor OptimusCut 2.0kW

Deck Lift Hand Lift

Deck Positions 17

Deck 7 Gauge Fabricated

Number for Blades 3

Cut Height Range 25mm - 127mm

Max Slope 15°

Smart G Connect Yes

ETO Port Front

Length (platform up) 170 / 170 / 177 cm

Width (inc chute) 115 / 133 / 135 cm

Height 135 / 133 / 135 cm

Weight 679 / 679 / 694 kg

24kWh OptimusZ Zero Turn Ride-on

Model No: OZ960 60"
Side Discharge
Model No: OZ960R 60"
Rear Discharge



5 YEAR
2000 HOUR
WARRANTY
Product Skins
& Batteries

Equivalent Power 65HP

Battery 24kWh

Drive Speed 26km/h

Coverage Up to 20 acres

Max Runtime Up to 8 hours

Charge Time 8 hours

Drive System PowrTrac 5.0kW Motors

48"/52" Tyre Size F/R 13 x 6.5 - 6 / 24 x 12 - 12

Deck Motor OptimusCut 2.0kW

Deck Lift Foot Operated Manual

Deck Positions 17

Deck 7 Gauge Fabricated

Number for Blades 3

Cut Height Range 25mm - 127mm

Max Slope 15°

Smart G Connect Yes

ETO Port Front / Rear

Length 180cm

Width 187cm

Height (with ROPS) 185cm

Height (without ROPS) 119cm

Weight 726kg

24kWh OptimusZ Zero Turn Ride-on

Model No: OZ948 48"
Side Discharge
Model No: OZ948R 48"
Rear Discharge
Model No: OZ952 52"
Side Discharge
Model No: OZ952R 52"
Rear Discharge

5 YEAR
2000 HOUR
WARRANTY
Product Skins
& Batteries



Equivalent Power 65HP

Battery 24kWh

Drive Speed 26km/h

Coverage Up to 20 acres

Max Runtime Up to 8 hours

Charge Time 8 hours

Drive System PowrTrac 5.0kW Motors

48"/52" Tyre Size F/R 13 x 6.5 - 6 / 24 x 9.5 - 12

Deck Motor OptimusCut 2.0kW

Deck Lift Foot Operated Manual

Deck Positions 17

Deck 7 Gauge Fabricated

Number for Blades 3

Cut Height Range 25mm - 127mm

Max Slope 15°

Smart G Connect Yes

ETO Port Front / Rear

Length 48" / 52" 180cm / 180cm

Width 48" / 52" 155cm / 166cm

Height (with ROPS) 185cm

Height (without ROPS) 119cm

Weight 48" / 52" 703kg / 711kg

36kWh OptimusZ Zero Turn Ride-on

Model No: OZ972 72"
Side Discharge
Model No: OZ972R 72"
Rear Discharge

5 YEAR
2000 HOUR
WARRANTY
Product Skins
& Batteries



Equivalent Power 72HP

Battery 36kWh

Drive Speed 22km/h

Coverage Up to 25 acres

Max Runtime Up to 8 hours

Charge Time 11 hours

Drive System PowrTrac 6.0kW Motors

48"/52" Tyre Size F/R 15 x 6 - 6 / 26 x 14 - 12

Deck Motor OptimusCut 3.0kW

Deck Lift Electronic

Deck Positions 17

Deck 7 Gauge Fabricated

Number for Blades 3

Cut Height Range 25mm - 127mm

Max Slope 15°

Smart G Connect Yes

ETO Port Front / Rear

Length 230cm

Width 195cm

Height 193cm

Weight 905kg

8kWh Utility Vehicle

Model No: CU400W

2 YEAR
WARRANTY
Chassis

5 YEAR
2000 HOUR
WARRANTY
Batteries



Equivalent Power 22HP

Petrol Equivalent 352cc

Battery 8kWh

Range Up to 105km

Max Speed Up to 44km/h

Towing Capacity 227kg

Payload Capacity 454kg

Max Slope 22°

Ground Clearance 216mm

Turning Radius 765cm

Wheel Base 180cm

Length 265cm

Width 142cm

Height with Roof 187cm

Cargo Capacity 250kg

Weight 485kg



8kWh Utility Vehicle

Model No: CU500SB

2 YEAR
WARRANTY
Chassis

5 YEAR
2000 HOUR
WARRANTY
Batteries



Equivalent Power 22HP

Petrol Equivalent 352cc

Battery 8kWh

Range Up to 64km

Max Speed Up to 43km/h

Towing Capacity 567kg

Payload Capacity 454kg

Max Slope 22°

Ground Clearance 254mm

Drive System gTRON

Wheel Base 184cm

Length 279cm

Width 155cm

Height 195cm

Cargo Capacity 150kg

Weight 663kg



16kWh Utility Vehicle

Model No: CU800SB

2 YEAR
WARRANTY
Chassis

5 YEAR
2000 HOUR
WARRANTY
Batteries



Equivalent Power 31HP

Petrol Equivalent 496cc

Battery 16kWh

Range Up to 120km

Max Speed Up to 46km/h

Towing Capacity 680kg

Payload Capacity 454kg

Max Slope 22°

Ground Clearance 254mm

Wheel Base 184cm

Length 300cm

Width 160cm

Height 205cm

Cargo Capacity 250kg

Weight 795kg



greenworks[®]

COMMERCIAL

82
VOLT
LITHIUM 

DISTRIBUTED THROUGHOUT NEW ZEALAND BY

CAMA

camaproducts.co.nz

 **Norwood**

0800 66 79 663 | norwood.co.nz